



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Saigon.	Oct. 31	206,000										1		
St. Petersburg.	Dec. 4	1,678,000	734	105		1		12	2	8	37	27	35	10
Salaverry	Dec. 1	1,750								1				
Santa Cruz de Teneriffe.	Dec. 4	46,000	15	2										
Santiago	Dec. 18	53,614	20	2										
Scheidam	Dec. 4	31,863	10	2										
Sheffield.	do.	472,000	135	10								6	1	
Do	Dec. 11		116	7						5		1		
Singapore.	Nov. 20	271,060	250	27						2				
Southampton.	Dec. 11	124,667	45	1								1		
Stettin	Dec. 4	239,000	93	10						3	1	2		
South Shields.	Dec. 11	117,627	40	8										
Stockholm	Nov. 27	339,582	78	14							1	2	1	1
Sunderland.	Dec. 11	159,137	72	4						1				4
Tarragona	do.	20,400	7	1										
Trieste	Nov. 20	219,777	97							1				
Do	Nov. 27		101								3	1		
Do.	Dec. 4		109							2			2	
Valetta.	do.	212,888	92	4						4				
Veracruz.	Dec. 18	32,000	26	6										
Victoria.	do.	35,000	8											
Vienna.	Dec. 4	2,085,888	609	95								10	1	2
West Hartlepool.	Dec. 11	66,750	23									1		
Winnipeg.	Dec. 18	122,000	25	3										
Do	Dec. 25		12							1				
Yarmouth.	do.	6,700										2		
Yokohama.	Nov. 29	392,870										1		
Zanzibar	Nov. 14	75,000	23	4										
Do	Nov. 21		19											

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

ARGENTINA—*Rosario de Santa Fé*.—Month of October, 1909. Population, 174,617. Total number of deaths 350, including diphtheria 3, measles 5, tuberculosis 37, typhoid fever 2.

AUSTRALIA—*Fremantle*.—Month of September, 1909. Estimated population, 194,109. Total number of deaths 18, including diphtheria 1.

New South Wales—*New Castle*.—Month of October, 1909. Estimated population, 53,250. Total number of deaths 50, including tuberculosis 8, typhoid fever 1.

BRAZIL—*Pernambuco*.—Two weeks ended October 31, 1909. Estimated population, 210,000. Total number of deaths 323, including measles 4, plague 3, smallpox 32, tuberculosis 38, typhoid fever 2, whooping cough 1.

São Paulo, Santos, and Campinas.—Two weeks ended October 31, 1909. Population, 300,000. Total number of deaths 336, including diphtheria 1, measles 12, tuberculosis 18.

CHILE—*Punta Arenas*.—Month of October, 1909. Estimated population, 12,000. Total number of deaths 40, including tuberculosis 4.

CUBA—*Matanzas*.—Ten days ended December 10, 1909. Population, 36,009. Total number of deaths 29, including tuberculosis 4.

GERMANY—*Bavaria—Munich*.—Month of September, 1909. Estimated population, 566,000. Total number of deaths 711, including diphtheria 2, measles 3, scarlet fever 7, tuberculosis 104, typhoid fever 1, whooping cough 12.

GREAT BRITAIN AND IRELAND.—Week ended December 4, 1909.

England and Wales.—The deaths registered in 76 great towns correspond to an annual rate of 16.5 per 1,000 of the population, which is estimated at 16,445,281.

Ireland.—The deaths registered in 21 principal town districts having an aggregate estimated population of 1,142,830 correspond to an annual rate of 20.1 per 1,000 of the population. The lowest rate was recorded at Portadown, viz, 5.2, and the highest at Tralee, viz, 31.7 per 1,000 of the population.

Scotland.—The deaths registered in 8 principal towns having an aggregate estimated population of 1,865,571 show a total of 797, including diphtheria 4, measles 43, scarlet fever 9, typhoid fever 3, whooping cough 17.

GREECE—*Patras*.—Two weeks ended November 30, 1909. Estimated population, 40,000. Total number of deaths 12, including diphtheria 1, tuberculosis 1.

INDIA—*Rangoon*.—Month of October, 1909. Estimated population, 295,803. Total number of deaths 854, including plague 11, smallpox 5, tuberculosis 26.

TURKS ISLANDS.—Seven weeks ended December 11, 1909. Estimated population, 1,700. Total number of deaths 6. No contagious diseases.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.